

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL VALLEY REGION

ORDER _____

RESCINDING WASTE DISCHARGE REQUIREMENTS ORDER 95-198

The California Regional Water Quality Control Board, Central Valley Region (Central Valley Water Board), finds that the Central Valley Water Board adopted the following Order which is no longer applicable for the reasons shown:

- a) Waste Discharge Requirements Order 95-198, adopted on 17 August 1995, prescribes requirements for the discharge from the Anderson-Cottonwood Concrete Products, Shasta County (Facility). The Facility ceased to crush, screen, wash, or sort sand and gravel on 15 May 2012. On 25 September 2012 the ready-mix concrete operation ceased, and all ready-mix trucks except for one nonoperational wrecked mixer were removed from the site. The Facility has not operated for over three years, and does not plan to resume operations in the future. Therefore, WDR Order 95-198 is no longer required.

IT IS HEREBY ORDERED that the above Waste Discharge Requirements Order 95-198 is rescinded.

I, PAMELA C. CREEDON, Executive Officer, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Central Valley Region on _____ 2017.

PAMELA C. CREEDON, Executive Officer